

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
14 April 2005 (14.04.2005)

PCT

(10) International Publication Number
WO 2005/034518 A1

(51) International Patent Classification⁷: **H04N 7/26**

MacDonald [US/US]; 3 Brandywine Court, Manalapan,
New Jersey 07726 (US).

(21) International Application Number:
PCT/US2004/029410

(74) Agents: **TRIPOLI, Joseph, S.** et al.; c/o Thomson Licens-
ing Inc., 2 Independence Way, Suite 200, Princeton, New
Jersey 08540 (US).

(22) International Filing Date:
10 September 2004 (10.09.2004)

(25) Filing Language: English

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(26) Publication Language: English

(30) Priority Data:
60/505,146 23 September 2003 (23.09.2003) US

(71) Applicant (for all designated States except US): **THOM-
SON LICENSING S.A.** [FR/FR]; 46, Quai A. Le Gallo,
F-92648 Boulogne (FR).


(72) Inventors; and

(75) Inventors/Applicants (for US only): **GOMILA, Cristina**
[ES/US]; 25C Chestnut Court, Princeton, New Jersey
08540 (US). **LLACH, Joan** [ES/US]; 25C Chestnut
Court, Princeton, New Jersey 08540 (US). **BOYCE, Jill**,

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),

[Continued on next page]

(54) Title: METHOD FOR SIMULATING FILM GRAIN BY MOSAICING PRE-COMPUTED SAMPLES



(57) Abstract: Film grain is simulated in an output image (19) using pre-established blocks of film grain (408) from a pool (408) of pre-established blocks. Successive film grain blocks are selected by matching the average intensity of a block from the pool to the average intensity of a successive one of a set of $M \times N$ pixels in an incoming image. Once all of the successive pixel blocks from the image are matched to selected film grain blocks, the selected film grain blocks are "mosaiced", that is composited into a larger image mapped to the incoming image.



European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *with international search report*